

Message

From: Clark, Jacqueline [clark.jacqueline@epa.gov]
Sent: 12/21/2016 8:45:41 PM
To: Reinhart, Roger [Reinhart.Roger@epa.gov]; Wilson, Jennifer [wilson.jenniferA@epa.gov]; Collins, Charlie [collins.charlie@epa.gov]; Rowsey, Kevin [rowsey.kevin@epa.gov]; Duchovnay, Andrew [Duchovnay.Andrew@epa.gov]; Davies, Lynne [Davies.Lynne@epa.gov]
Subject: RE: Enforcement Confidential, Subject to Attorney/Client Privileges, and Deliberative. Please do not release for FOIAs or discoveries: My Thoughts about Their Offer
Attachments: Washington Works - Model Water Treatment Plan EPA comments.pdf; Washington Works - 2016 Model Water Treatment Plan draft final.docx
Importance: High

All - attached is the Model Water Treatment Plan with edits included that I believe accurately captures our agreement in principle with Chemours. Good work to the technical team resolving these issue today! **Please review and let me know ASAP whether this version looks correct to me.** My only other question is whether the technical team talked to Chemours about the proposed edits to Attachment 2 and Attachment 6 (see PDF attached). Roger, if you are going to be out of the office, should we have Jenny coordinate with Andrew on the final technical documents? I can also try to coordinate through Mike and will reach out to him as soon as I hear back that this version is final. Thanks-Jacquie

Jacqueline Clark

Associate Regional Counsel
U.S. EPA, Region 5 (C-14J)
77 W. Jackson Blvd.
Chicago, IL 60604
Direct: (312) 353-4191
Fax: (312) 385-5474
email: clark.jacqueline@epa.gov

This e-mail, including attachments, contains information that may be confidential, protected by the attorney/client or other privileges, or otherwise exempt from disclosure under applicable law. If you are not the intended recipient, please do not read this email, delete it, including attachments, and notify the sender that you have received this email in error. The unauthorized use, dissemination, distribution or reproduction of this e-mail, including attachments, is prohibited and may be unlawful.

From: Reinhart, Roger
Sent: Wednesday, December 21, 2016 2:36 PM
To: Wilson, Jennifer ; Collins, Charlie ; Rowsey, Kevin ; Clark, Jacqueline ; Duchovnay, Andrew ; Davies, Lynne
Subject: RE: Enforcement Confidential, Subject to Attorney/Client Privileges, and Deliberative. Please do not release for FOIAs or discoveries: My Thoughts about Their Offer

I just heard back from Andrew Hartten on the GAC sampling protocol. Andrew has conceded to accept our edited language in 2.5, requiring sampling after bed1 and change-outs when there are levels of PFOA over 0.015 ppb. I think **Ex. 5 AC/DP** Andrew also asked when he could see a final edited version of the Water Treatment Plan. . . I will be out of the office until after the New Year. Please contact Kevin Rousey or Jim Bennett in my absence at 215-814-5463 and 215-814-5469 respectively. Happy Holidays to all!

From: Wilson, Jennifer
Sent: Wednesday, December 21, 2016 2:31 PM
To: Reinhart, Roger <Reinhart.Roger@epa.gov>; Collins, Charlie <collins.charlie@epa.gov>; Rowsey, Kevin <rowsey.kevin@epa.gov>; Clark, Jacqueline <clark.jacqueline@epa.gov>; Duchovnay, Andrew <Duchovnay.Andrew@epa.gov>; Davies, Lynne <Davies.Lynne@epa.gov>
Subject: Enforcement Confidential, Subject to Attorney/Client Privileges, and Deliberative. Please do not release for FOIAs or discoveries: My Thoughts about Their Offer

Enforcement Confidential, Subject to Attorney/Client Privileges and Deliberative. Please do not release for FOIAs or discoveries.

Hi All,

Roger, Kevin, Jim, and I spoke with Andrew. Andrew offered the following:

Ex. 5 AC/DP

Thank you,
Jenny

Jennifer A. Wilson, P.E.
EPA Region 5
Groundwater and Drinking Water Branch
77 West Jackson Blvd.
WG-15J
Chicago, IL 60604

e-mail: wilson.jennifera@epa.gov
phone: (312)353-3115
fax: (312)697-2751